

	MULTI-PILOT AEROPLANE or HPCA									
	Application and	report form								
SKILL TEST ATPL(A)	SKILL TEST TYPE RATI	NG MPL(A)	PROFICIENCY CHECK							
License Endorsement:										
ATPL and other tests flown as PIC, requ	ire the applicant to occupy LH seat	t								
	TEST/CHECK IN AIR	RCRAFT Special approva	I required and attached							
LH seat RH seat	SFI Proficiency check per	rformed to revalidate SFI a	nd SFE privileges							
A. To be filled out by the applic	ant									
Date of Birth:	Licence no:	S	tate of Licence Issue:							
First name(s):	Las	st name:								

Street: Postal code	al code and city: E-mail:					Telephone:		
Only Skil	I Test for the is	ssue of AT	PL(A) - Spe	cificatio	n of fligh	it time:		
Total:	PIC:	Multi-pil	ot operations:	Total Cros	s-country:	PIC Cross-country	/: Instrument time:	Night:
Only Prof	ficiency check	- Specifica	ation of flig	ht time:				
Total:		Total on ty	pe:		Route se	ctors latest validity	period:	
Date of Sigr	nature:	•			Signature	of Applicant:		

B. Udfyldes af ATO/ To be filled in by ATO

Name of ATO (Use stamp):	A-UPRT trained:				
If issue or renewal: Flight time during tra	MCC trained:				
State if Zero Flight Time Training:	Date of signature of Head of Training:	signature of Head of Training: Signature of Head of Training:			

C. Udfyldes af examiner/ To be filled in by the examiner

Date of test:		Licence	Licence Endorsement:			Type of aircraft:					
Name of examiner:			Auth	orisation no of exa	niner:						
			Result of the tes	t/check							
Section 1 -		Section 3 -	Section 4	l -		Section 5 -					
Items failed:	Items failed:		Items failed:	Items fail	ed:		Items failed:				
Failed	1 – 5 items failed		RNP approach: One of the approaches flown is an RNP approach			Temp. perm. issued (copy enclosed): Yes No					
	Only proficiency c	heck: I ha	ave entered the follow	ving details in the	applica	nts licence					
Rating:		Date o	f check:		Valid u	until:					
Rating:		Date o	f check:		Valid u	ntil:					
formed. I also declare that	I hereby verify that the applicant has passed the required training and that the applicant fulfils the requirements for the test or check being per- formed. I also declare that I have reviewed and applied the relevant national procedures and requirements of the applicant's competent authority contained in the latest version of the Examiner Differences Document.										
Date of signature:	Signature	Signature of examiner:									

TS Form 1.22.4 - 21.10.2024 - Multi-Pilot Airplane or HPCA skill test and proficiency check form

Danish Civil Aviation and Railway Authority | Carsten Niebuhrs Gade 43 | 1577 Copenhagen V | +45 7221 8800 | www.trafikstyrelsen.dk - Page 1 of 6

For detailed instructions see Commission Regulation 1178/2011 Appendix 9 The starred items (*) in the left column shall be flown solely by reference to instruments. + marked skill test only.

· marked	i skili test offiy.						
	SECTION 1 Flight preparation	FSTD	A	Instructor initials when training completed	Manda- tory	Passed	Failed
1.1	Flight preparation/Performance calculation	OTD P					
1.2	Aeroplane external visual inspection; location of each item and purpose of inspection	OTD P#	Р				
1.3	Cockpit inspection	Р —	•				
1.4	Use of checklist	Р —	→		М		
1.5	Taxiing of compliance with air traffic control or instructions of instructor	P —	1				
1.6	Before take-off checks	Р —			М		

	SECTION 2	FSTD	A	Instructor initials when training completed	Manda- tory	Passed	Failed
2.1	Normal take-offs, different flap settings, incl. expedited take-off	Р —					
2.2	Instrument take-off*	Р —	→				
2.3	Cross wind take-off	Р —	►				
2.4	Take-off at maximum take-off mass (actual or simulated maximum take-off mass)	Р —					
2.5.1*	Take-off with simulated engine failure shortly after reaching V2	Р —					
2.5.2*	Take-off with simulated engine failure between V1 and V2 FFS ONLY	Р	х		М		
2.6	Rejected take-off at a reasonable speed before reaching V1	Р —	►		М		

	SECTION 3			Instructor initials		-	
	Flight manoeuvre and procedures	FSTD	А	when training completed	Manda- tory	Passed	Failed
3.1	Manual flight with and without flight directors (no autopilot, no autothrust/autothrottle, and at different control laws (if applicable)	Р —					
3.1.1	At different speeds (including slow flight) and altitudes within the FSTD training envelope	P —					
3.1.2	Steep turns using 45° bank,180° to 360° left and right	Р —					
3.1.3	Turns with and without spoilers	P —					
3.1.4	Procedural instrument flying and manoeuvring including instrument departure and arrival, and visual approach	Р —		·			· · ·
3.2	Tuck under and Mach buffets (if applicable), and other specific flight characteristics of the aeroplane (e.g. Dutch Roll) (An aeroplane shall not be used for this exercise)	Р	х				
3.3	Normal operation of systems and Engineer s panel	OTD P	→				

3.4 Normal and abnormal operations of following systems: (Select min 3 items from 3.4.0 to 3.4.14 inclusive (marked below)

				•	
3.4.0	Engine (if necessary propeller)	OTD P		•	
3.4.1	Pressurisation and air conditioning	OTD P		•	
3.4.2	Pitot/static system	OTD P		•	
3.4.3	Fuel system	OTD P	→	•	
3.4.4	Electrical system	OTD P		•	
3.4.5	Hydraulic system	OTD P	→	•	
3.4.6	Flight control and trim system	OTD P		•	
3.4.7	Anti-icing and de-icing system, glare shield heating	OTD P	→	•	
3.4.8	Autopilot/Flight director (Mandatory for SP)	OTD P		•	
3.4.9	Stall warning devices or stall avoidance devices, and stability argumentation devices	OTD P		•	
3.4.10	GPWS, Weather radar, Radio altimeter, Transponder	P		•	
3.4.11	Radios, navigation equipment, instruments, FMS	OTD P		•	
3.4.12	Landing gear and brake	OTD P	→	•	
3.4.13	Slat and flap system	OTD	→	٠	
3.4.14	Auxiliary power unit (APU)	OTD P		•	

TS Form 1.22.4 - 21.10.2024 - Multi-Pilot Airplane or HPCA skill test and proficiency check form

Danish Civil Aviation and Railway Authority | Carsten Niebuhrs Gade 43 | 1577 Copenhagen V | +45 7221 8800 | www.trafikstyrelsen.dk - Page 2 of 6

Name of Applicant:

	mal and emergency procedure. Select min. 3 items from			·····	,		
		FSTD	A	Instructor initials when training completed	Manda- tory	Passed	Failed
3.6.1	Fire drills e.g. Engine, APU, cabin, cargo, flight deck wing and electrical fires incl. evacuation	Р —			•		
3.6.2	Smoke control and removal	Р —			٠		
3.6.3	Engine failures, shut-down and restart at safe height	Р -			٠		
3.6.4	Fuel dumping (simulated)	Р —			•		
3.6.5	Windshear at take-off/landing FFS ONLY	Р	Х		•		
3.6.6	Simulated cabin pressure failure/emergency descent	Р —			•		
3.6.7	Incapacitation of flight crew member	Р —			•		
3.6.8	Other emergency procedures as outlines in AFM	P -			•		
3.6.9	TCAS event FFS ONLY	Р	х		•		
3.7	Upset recovery training						
3.7.1	Recovery from stall events in: - take-off configuration; - clean configuration at low altitude; - clean configuration near maximum operating altitude; and - landing configuration	Ρ	Х				
3.7.2	The following upset exercises: - recovery from nose-high at various bank angles; and - recovery from nose-low at various bank angles FFS ONLY	Ρ	Х				
3.8	Instrument flight procedures						
3.8.1*	Adherence to departure and arrival routes and ATC instructions	Р —			М		
3.8.2*	Holding procedures	Р —					
3.8.3* Note: Accor	3D operations to DH/A of 200 ft (60m) or to higher minima if required by the approach procedure rding to the AFM, RNP APCH procedures may require the use of autor	pilot or fligh	t director. ⁻	The procedure to be flo	own manu	ally shall	be
	ng into account such limitations (for example, choose an ILS for 3.8.3.					•	1
3.8.3.1*	Manually, without flight director Skill test only	Р —	•		M+		
3.8.3.2*	Manually, with flight director	Р —					
3.8.3.3*	With autopilot	P —	>				1
3.8.3.4*	Manually, with one engine simulated inoperative during final approach, either until touchdown or through the complete missed approach procedure (as applicable), starting: (i) before passing 1000 ft above aerodrome level; and (ii) after passing 1000 ft above aerodrome level. In aeroplanes which are not certificated as transport category aeroplanes (JAR/FAR 25) or as commuter category aeroplanes (SFAR 23), the approach with simulated engine failure and the ensuing go-around shall be initiated in conjunction with the 2D approach in accordance with 3.8.4. The go-around shall be initiated when reaching the published obstacle clearance height/ altitude (OCH/A); however, not later than reaching an MDH/A of 500 ft above the runway threshold elevation. In aeroplanes having the same performance as a transport cetagory aeroplane regarding take-off mass and density altitude, the instructor may simulate the engine failure in	Ρ			Μ		

		FSTD	A	Instructor initials when training completed	Manda- tory	Passed	Failed
3.8.4*	2D operations down to the MDH/A	P -	•		М		
3.8.5	Circling approach under the following conditions: (a)*approach to the authorised minimum circling approach altitude at the aerodrome in question at the accordance with the local instrument approach facilities in simulated instrument flight conditions; followed by: (b) circling approach to another runway at least 90° off centreline from the final approach used in item (a), at the authorised minimum circling approach altitude. Remark: It (a) and (b) are not possible due to ATC reasons, a simulated low visibility pattern may be performed.	Ρ-					
3.8.6	Visual approaches	P -					

	SECTION 4 Missed approach procedures	FSTD	А	Instructor initials when training completed	Manda- tory	Passed	Failed
4.1	Go-around with all engines operating* during a 3D operation on reaching DH	P* -					
4.2	Go-around with all engines operating* from various stages during an instrument approach	P* -					
4.3	Other missed approach procedures	P* -					
4.4*	Manual go-around with the critical engine simulated inoperative after an instrument approach on reaching DH, MDH, MAPt	P* -			М		
4.5	Rejected landing with all engines operating: - from various heights below DH/MDH; - after touchdown (baulked landing) In aeroplanes which are not certificated as transport category aeroplanes (JAR/FAR 25) or as commuter category aeroplanes (SFAR 23), the rejected landing with all engines operating shall be initiated below MDH/A or after touchdown.	Ρ -					

	SECTION 5 Landings	FSTD	A	Instructor initials when training completed	Manda- tory	Passed	Failed
5.1	Normal landings* with visual reference established when reaching DA/H following an instrument approach operation	Р					
5.2	Landing with simulated jammed horizontal stabiliser in any out-off-trim position (An A/C may not be used for this exercise)	Р	х				
5.3	Cross wind landings (A/C if practicable)	P -					
5.4	Traffic pattern and landing without extended or with partly extended flaps and slats	Ρ -					
5.5	Landing with critical engine simulated inoperative	Р -			М		
5.6	Landing with two engines inoperative (3-engine A/C: centre and one outboard inop) (4-engine A/C: two engine at one side inop) FFS ONLY	Р	х		M+		

TS Form 1.22.4 - 21.10.2024 - Multi-Pilot Airplane or HPCA skill test and proficiency check form

Signature of examiner:

Details of the flight								
Aircraft Reg or FFS Auth number:	Off block:**	On ground:						
Departure aerodrome:	On block:**	Airborne:						
Destination aerodrome:	Tot. block time:**	Tot. airborne time:	No. of landings:					

** In case of test/check in simulator, enter time in simulator and not block time

Remarks/overall assessment/Reason for failure (if applicable):

Aircraft training (non ZFTT)										
Aircraft training completed date:		Aircra	Aircraft type:		No. of landings: TR		TRI Name:		Signature of TRI:	
Off block:	Airborne:	•	On ground:		On block:	•	Tot. block time:	•	Tot. airborne time:	

Signature of applicant:

TS Form 1.22.4 - 21.10.2024 - Multi-Pilot Airplane or HPCA skill test and proficiency check form

In accordance with ARA.GEN.315(a), (b) – (c)

Undertegnede bekræfter hermed, at jeg ved ansøgningstidspunktet

- <u>ikke</u> var i besiddelse af et personligt certifikat, rating, tilladelse eller attestation med samme anvendelsesområde og i samme kategori udstedt i en anden medlemsstat;
- 2. <u>ikke har ansøgt om et personligt certifikat, rating, tilladelse eller</u> attestation med samme anvendelsesområde og i samme kategori i en anden medlemsstat; og
- 3. <u>aldrig</u> har haft et personligt certifikat, rating, tilladelse eller attest med samme anvendelsesområde og i samme kategori udstedt i en anden medlemsstat, som er tilbagekaldt eller suspenderet i anden medlemsstat.

Note:

Ukorrekte oplysninger vedrørende ovenstående, kan være diskvalificerende for udstedelse af certifikat, rating, tilladelse m.v.

Undersigned hereby confirm that I at the time of application

- was <u>not</u> holding any personnel licence, certificate, rating, authorisation or attestation with the same scope and in the same category issued in another Member State;
- has <u>not</u> applied for any personnel licence, certificate, rating, authorisation or attestation with the same scope and in the same category in another Member State; and
- 3. has <u>never</u> held any personnel licence, certificate, rating, authorisation or attestation with the same scope and in the same category issued in another Member State which was revoked or suspended in any other Member State.

. 4.

Note:

Incorrect information regarding the above can be disqualifying for obtaining a certificate, rating, authorization, etc.

Dato:/Date:

Underskrift/Signature: